

Franklin Township

191 Election House Road. - Prospect, Pa. 16052

Ph: (724) 865-2412 Email: FranklinTwpBCO@zoominternet.net

Building Permit Application

| | |
|---|--|
| Date: _____ Applicant Name: _____ Address: _____ Ph: _____ Fax: _____ E-Mail: _____ | Architect/Engineer: _____ Phone: _____ Fax: _____ E-Mail: _____ |
|---|--|

Property where work is proposed: _____ Parcel # _____

New Construction or Alterations

Proposed construction: Building Structures Accessory Structure (Sheds, Fences, Pools) Demolition

Describe Proposed Work _____

Total Square Footage: Basement: _____ 1st _____ 2nd _____

Total Construction Cost: _____

Contractor Information

Contractor Name: _____

Address: _____

Phone: _____ Fax: _____

Worker's Compensation Policy No.: _____

Insurer: _____

Expiration No.: _____

Note, A permit will not be issued until a copy of the worker's compensation insurance certificate is submitted indicating Franklin Township as the certificate holder.

All permits required by the Commonwealth of Pennsylvania Department of Labor & Industry including Highway Occupancy Permits shall be obtained by and are the responsibility of the applicant. The applicant shall be responsible for identification of all utilities prior to excavation.

The undersigned hereby acknowledges that the above information and attached documents and drawings are true and accurate and that the permit requirements have been read and understood.

Applicant Signature: _____ Print _____ Date _____

Building Owner's Signature: _____ Print _____ Date _____

| | | |
|-----------------------------|-----|------------------|
| Township Use: Date Received | / / | Initials |
| Date Approved: | / / | Date Denied: / / |

Required Inspections

Contact Professional Code Services Inc. to schedule inspections

Call 724 449-2661 FX 724 449-2673

The following periodic inspections (marked X) are required to ensure compliance with the Building Permit you have been issued. All inspections shall be requested no sooner than 48 hours before the inspection is required. A FINAL INSPECTION IS REQUIRED FOR ALL BUILDING PERMITS.

- STAKE-OUT INSPECTION: **Prior to ANY building excavation.** All corners of structure clearly staked out...**All** property lines clearly marked.
- FOOTING INSPECTION: Before placement of concrete. All required re-enforcement in accordance with the approved drawings should be installed. All reinforcement shall be placed in the bottom 1/3 of the footing and shall be suspended on chairs or other approved device. **Re-Bar Grounding Electrode for Electric Service completed.**
- FOUNDATION: (When reinforcement is required) Prior to the placement of all required cell block grouting. All required reinforcement shall be in place. When added to the grout, all aggregate shall be 3/8 inch maximum. Poured concrete walls shall be inspected prior to the placement of concrete.
- BACKFILL: Prior to any backfill. Rough framing must be completed. All waterproofing shall be completed. All drains and filter fabric shall be in place. All anchor bolts shall be installed.
- ROUGH ELECTRICAL: All electrical installations shall be installed in accordance with the 2017 NEC. Electrical inspections are performed by PCS (724 449-2661).
- ROUGH PLUMBING: All drains, vents and water distribution shall be in place. A pressure test shall be conducted at this time and accessible for the inspector [5lb air or 10-foot water column].
- ROUGH MECHANICAL: After the installation of all ductwork, fuel gas piping and flues.
- INSULATION: All required insulation installed in walls including areas to be concealed, prior to wallboard.
- ROUGH FRAMING: After all rough electrical and plumbing inspections have been approved prior to insulation.
- WALLBOARD: All fasteners installed prior to compound or finish material.
- FINAL ELECTRICAL: Electrical inspections are performed by PCS (724 449-2661).
- FINAL PLUMBING: All fixtures shall be installed and fully functional.
- FINAL MECHANICAL: After all equipment and installation of fixtures.
- OCCUPANCY/FINAL INSPECTION: All mechanical inspections shall be completed.
- OTHER _____: Where in the opinion of the Building Official a special inspection is required.

Work shall not proceed until the above inspections are approved by the Building Official. Failure to obtain any of the above inspections may result in penalties in accordance with the UCC Act 45 & local ordinance.

Signature: _____ Print: _____ Date: _____

Residential Building Permit Instructions & Checklist

- The Building Permit application has been completed in full and signed by both applicant & owner.
- A survey by a PA registered land surveyor has been submitted with the construction documents. The survey shall indicate the setback distance to every property line. The location of all proposed driveways shall be indicated on the submitted survey.
- All required Zoning Permits and approvals have been obtained from the municipality (attach copies).
- Two (2) copies of scaled and accurate construction drawings have been submitted. See instruction below. **Contact PCS for ALL non-residential project's submittals www.PCS-CODES.COM**
- Energy ResCheck or prescriptive energy schedule.
- All applicable Highway Occupancy Permits from PennDot shall be obtained (attach copies).
- The attached "Worker's Compensation Affidavit" has been completed.
- The Required Inspections sheet has been read and signed. (BCO will identify required inspections)
- All sewer or on-site sewage disposal permit (attach copies).
- Pennsylvania One Call shall be notified prior to any excavation. 1 800 242-1776

1. Residential Plan Review Requirements

- Two (2) sets of complete drawings shall be submitted with the Building Permit Application.
- The required plan review fee shall be submitted with the Building Permit Application payable to PCS: \$150.00 for New Dwellings \$75.00 for decks, pools, additions, accessory structures**
- The drawings include a typical wall section indicating the following: footer size and reinforcement, foundation wall details including drainage, anchor bolts, floor joist size, framing sizes, header schedule, ceiling joist and roof rafter details, roof covering details & ventilation details.
- Engineered lumber specifications and manufacturers product information
- Floor plans for every story including basement.
- HVAC details including equipment to be installed.
- General wiring details including smoke detectors and service size.
- A plumbing isometric (attached worksheet) design including drainage size, vent size and location, trap location, cleanout locations and drainage fixture details. All building sewer specifications shall be in accordance with the local sanitary authority.
- Window schedules from the window manufacturer indicating sleeping room egress window and habitable basement egress sizes.

Rev 01.23.23

¹ Checklist for Residential applications. Contact PCS (724 449-2662) for commercial review instructions.

Worker's Compensation Affidavit

The applicant for the Building Permit, in compliance with Act 44 of 1993, hereby submits the following Information and Affidavit. One of the following requirements must be marked:

- A current *Certificate of Insurance* indicating Worker's Compensation is attached. The certificate must indicate *Franklin Township* as the holder.
- The building permit applicant or indicated contractor qualifies as "Exempt from Worker's Compensation. Please indicate the reason for the exemption by checking on of the following and completing the subsequent information:
 - The Contractor/applicant is the owner of the property.
 - Contractor/Applicant is a Sole Proprietor without employees.
 - All of the contractor/applicants' employees on the project are exempt on religious grounds under Section 304.2 of the Act. Please explain in detail:

- Contractor/Applicant is a corporation, and the only employees working on the project have and are qualified as "Executive Employees" under Section 104 of the Act. Explain the status of any/or all workers on the project:

Complete the following:

Date: _____
Name of Applicant/Contractor: _____
Address: _____
City _____ State _____ Zip Code _____

1. Any subcontractors used on this project will be required to carry their own worker's compensation coverage.
2. The applicant is not permitted to employ any individual to perform work on this project pursuant to the permit in violation of the Act.
3. Violation of the Worker's Compensation Act or the terms of this permit will subject the applicant to a stop-work order and other fines and penalties provided by law.

Signature: _____ Print Name _____

Company: _____ Title: _____

Required Inspections

Contact Professional Code Services Inc. to schedule inspections

Call 724 449-2661 FX 724 449-2673

The following periodic inspections (marked X) are required to ensure compliance with the Building Permit you have been issued. All inspections shall be requested no sooner than 48 hours before the inspection is required. A FINAL INSPECTION IS REQUIRED FOR ALL BUILDING PERMITS.

- STAKE-OUT INSPECTION: **Prior to ANY building excavation.** All corners of structure clearly staked out...**All** property lines clearly marked.
- FOOTING INSPECTION: Before placement of concrete. All required re-enforcement in accordance with the approved drawings should be installed. All reinforcement shall be placed in the bottom 1/3 of the footing and shall be suspended on chairs or other approved device. **Re-Bar Grounding Electrode for Electric Service completed.**
- FOUNDATION: (When reinforcement is required) Prior to the placement of all required cell block grouting. All required reinforcement shall be in place. When added to the grout, all aggregate shall be 3/8 inch maximum. Poured concrete walls shall be inspected prior to the placement of concrete.
- BACKFILL: Prior to any backfill. Rough framing must be completed. All waterproofing shall be completed. All drains and filter fabric shall be in place. All anchor bolts shall be installed.
- ROUGH ELECTRICAL: All electrical installations shall be installed in accordance with the 2017 NEC. Electrical inspections are performed by PCS (724 449-2661).
- ROUGH PLUMBING: All drains, vents and water distribution shall be in place. A pressure test shall be conducted at this time and accessible for the inspector [5lb air or 10-foot water column].
- ROUGH MECHANICAL: After the installation of all ductwork, fuel gas piping and flues.
- INSULATION: All required insulation installed in walls including areas to be concealed, prior to wallboard.
- ROUGH FRAMING: After all rough electrical and plumbing inspections have been approved prior to insulation.
- WALLBOARD: All fasteners installed prior to compound or finish material.
- FINAL ELECTRICAL: Electrical inspections are performed by PCS (724 449-2661).
- FINAL PLUMBING: All fixtures shall be installed and fully functional.
- FINAL MECHANICAL: After all equipment and installation of fixtures.
- OCCUPANCY/FINAL INSPECTION: All mechanical inspections shall be completed.
- OTHER _____: Where in the opinion of the Building Official a special inspection is required.

Work shall not proceed until the above inspections are approved by the Building Official. Failure to obtain any of the above inspections may result in penalties in accordance with the UCC Act 45 & local ordinance.

Signature: _____ Print: _____ Date: _____

Energy Efficiency Data Sheet

The following information must be submitted with the construction documents OR a valid Recheck shall be submitted. The following information must be clearly indicated on the construction document (ceiling, floor, wall assemblies only). Mechanical equipment must be identified, located and labeled on the construction documents. A dimensional section drawing shall be submitted for all insulated floor slabs. [ResCheck energy software is available at www.energycodes.gov](http://www.energycodes.gov)

1. Ceiling Framing Type _____
2. Ceiling Insulation Type _____ R-Value _____
3. Skylight Frame Material: Metal Frame Metal Frame with Thermal Break
Wood Frame Vinyl Frame Other _____
4. Skylight U-Factor _____ Skylight sq.ft. _____ Single Pane
Double Pane Double Pane-Low E Triple Pane Triple Pane Low-E
5. Wall construction _____
6. Gross sq.ft. of Wall space _____
7. Wall Cavity Insulation R-Value _____ Continuous Insulation R-Value _____
8. Window Frame Material Metal Frame Metal Frame with Thermal Break
Wood Frame Vinyl Frame Other _____
9. Gross sq.ft. of Window openings _____
10. Windows; Enter information on the poorest window efficiency in the building: Single Pane Double Pane
Double Pane-Low E Triple Pane Triple Pane Low-E
***Each window must be identified separately or number of each type. Attach schedule**
11. Doors:

| | | | | | |
|----|--|--------------------------------|----------------|---------------|--------------|
| 1. | Solid (under 50% glazing) <input type="checkbox"/> | Glass <input type="checkbox"/> | U-Factor _____ | R-Value _____ | Sq.ft. _____ |
| 2. | Solid (under 50% glazing) <input type="checkbox"/> | Glass <input type="checkbox"/> | U-Factor _____ | R-Value _____ | Sq.ft. _____ |
| 3. | Solid (under 50% glazing) <input type="checkbox"/> | Glass <input type="checkbox"/> | U-Factor _____ | R-Value _____ | Sq.ft. _____ |
| 4. | Solid (under 50% glazing) <input type="checkbox"/> | Glass <input type="checkbox"/> | U-Factor _____ | R-Value _____ | Sq.ft. _____ |
| 5. | Solid (under 50% glazing) <input type="checkbox"/> | Glass <input type="checkbox"/> | U-Factor _____ | R-Value _____ | Sq.ft. _____ |
12. Basement Wall Type _____ Gross sq.ft. Area _____
Measured in feet; (ie 7.5')
 - Wall Height (top of wall to basement floor) _____
 - Depth below grade (finish outside grade to basement floor) _____
 - Height of insulation (top of wall to where insulation stops) _____
13. Floor Assembly;
 - **Wood Assembly;** Over un-conditioned space Over outside air
Gross Area _____ Cavity R-Value _____ Continuous Insulation R-Value _____
 - **Slab on Grade;** Unheated Heated
Gross Area _____ Cavity R-Value _____ Continuous Insulation R-Value _____
 - **Structural Insulated Panels;** Over un-conditioned space Over outside air
Gross Area _____ Cavity R-Value _____ Continuous Insulation R-Value _____
14. Crawl Space Wall Type _____ Gross sq.ft. Area _____
Measured in feet; (ie 7.5')
 - Wall Height (top of wall to basement floor) _____
 - Depth below grade (finish outside grade to basement floor) _____
 - Height of insulation (top of wall to where insulation stops) _____
15. Heating Equipment; Where more than (1) unit, use least efficient data
 - Furnace Heating Efficiency _____ %
 - Boiler Heating Efficiency _____ %
 - Heat Pump Heating Efficiency _____ %
 - Air Conditioner Cooling Efficiency _____ SEER

Plumbing Isometric Design - Provide Schematic

Roof Line

2nd Floor


1st Floor

Basement

The diagram consists of a large rectangular frame divided into three horizontal sections. The top section is labeled 'Roof Line', the middle section is labeled '2nd Floor', and the bottom section is labeled 'Basement'. The '1st Floor' label is positioned to the left of the middle section but does not have a corresponding section in the frame. The frame is empty, intended for a plumbing isometric design schematic.

Provide Information for New Electrical Service Work

Overhead or Underground



FRANKLIN TOWNSHIP

191 Election House Road
Prospect, PA 16052

724-865-2412

FranklinTwpBCO@zoominternet.net

FranklinTwp.net

Small Project Stormwater Management Application

Per Butler Township's Act 167 Stormwater Management Ordinance, an Applicant is required to submit this Small Project Application whenever Regulated Activities involving the creation of new impervious surfaces equal to, or greater than 2,500 square feet and less than 5,000 square feet. Impervious surfaces are areas that prevent the infiltration of water into the ground and shall include, but not be limited to, roofs, patios, garages, storage sheds and similar structures, and any new streets or sidewalks.

Name of Applicant _____ Name of Owner _____

Address _____ Address _____

Phone _____ Fax _____ Phone _____ Fax _____

Location of Property (Including lot #, plan, and street name) _____

Map & Parcel # _____ Size of Property _____

| To Calculate Impervious Surfaces Please Complete This Table | | | | | |
|---|---------------|---|--------------|---|--------------------------|
| Surface Type | Length (feet) | X | Width (feet) | = | Proposed Impervious Area |
| Building (area per downspout) | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| Driveway | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| Parking Areas | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| Patios/Walks | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| Other | | X | | = | |
| | | X | | = | |
| | | X | | = | |
| Total Impervious Surface Area to be managed (sum of all areas) | | | | | |